

Application No. Unassigned
Attorney's Docket No. 010751-057
Page 6

REMARKS

By way of the foregoing amendments to the claims, Claims 1-19 have been amended to delete the multiple dependencies, and to replace the words "characterized in that" with the word "wherein". These changes have been made in accordance with 37 C.F.R. § 1.121 as amended on November 7, 2000. Marked-up versions of Claims 1-19 indicating the changes accompany this Preliminary Amendment.

Early and favorable consideration with respect to this application is respectfully requested.

Should any questions arise in connection with this application, the undersigned respectfully requests that he be contacted at the number indicated below.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By: _____



Robert S. Swecker
Registration No. 19,885

P. O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Date: January 18, 2002

Application No. Unassigned
Attorney's Docket No. 010751-057
Page 1

Attachment to Preliminary Amendment dated January 18, 2002

Marked-up Claims 1-19

1. (Amended from Amended Sheet) A return device [(1)] for containers [(2)], such as bottles, cups, cans, or the like, comprising an insertion opening [(3)] for receiving the container and at least one distributing means [(4)] for transporting the container [(2)] from said insertion opening [(3)] to a selectable processing means of said return device, said distributing means [(4)] comprising at least one intermediate bottom [(5)] and a receiving means [(7)] which is movable relative to said bottom and transports said container [(2)] away from said insertion opening [(3)], [characterized in that] wherein said receiving means [(7)] comprises a bottom opening [(6)] relative to which a sorting opening [(8)] of said intermediate bottom can be positioned for passing said container [(2)] therethrough to the selected processing means.

2. (Amended) The return device according to claim 1, [characterized in that] wherein said return device [(1)] has arranged therein a support plate [(9)] which comprises a number of passage holes [(10)], each assigned to at least one processing means, and relative to which said intermediate bottom [(5)] is movable for arranging said sorting opening [(8)] between bottom opening [(6)] and selected passage hole [(10)].

3. (Amended) The return device according to claim 1 [or 2], [characterized in that] wherein said receiving means [(7)] comprises a shell [(12)] which can be assigned with its open side [(11)] to said insertion opening [(3)].

Attachment to Preliminary Amendment dated January 18, 2002

Marked-up Claims 1-19

4. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said intermediate bottom [(5)] is circular and rotatable about [is] its center axis [(13)].

5. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said sorting opening [(8)] is designed as a radially outwardly open peripheral recess [(14)].

6. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said shell [(12)] is rotatably supported in coaxial fashion relative to said center axis [(13)].

7. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein a bearing shaft [(15)] extends substantially in vertical direction from said support plate and has rotatably supported thereon shell [(12)] and/or intermediate bottom [(5)].

8. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said bearing shaft [(15)] is a hollow shaft [(16)].

Attachment to Preliminary Amendment dated January 18, 2002

Marked-up Claims 1-19

9. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said passage holes [(10)] are arranged along a circle [(17)] in concentric fashion relative to said intermediate bottom [(5)].

10. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein a guide [(18)] extends from each passage hole [(10)] to a corresponding processing means.

11. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein at least one identifying means [(19)] is assigned to said insertion opening [(3)] and/or said receiving means [(7)] and/or said support plate [(9)] and/or said intermediate bottom [(5)] for identifying at least one characteristic feature of said container.

12. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein the characteristic feature of said container is the geometrical shape thereof.

13. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein a storage and/or evaluation means is assigned to said

Attachment to Preliminary Amendment dated January 18, 2002

Marked-up Claims 1-19

identifying means [(19)], in particular for storing different geometrical shapes of said container [(2)] and for comparing a container to be recognized with a stored shape.

14. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said identifying means [(19)] is designed as a scanning means and is movable relative to the container [(2)] to be scanned.

15. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said intermediate bottom [(5)] comprises a rotational sleeve [(21)] which is rotatably attached to the bearing shaft [(15)] of said support plate [(9)].

16. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said shell [(12)] is held by means of a radial arm [(22)] by a bearing sleeve [(23)] which is rotatably attached to said rotational sleeve [(21)].

17. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said rotational sleeve [(21)] of said intermediate bottom [(5)] is rotatably supported in the hollow shaft [(16)] of said support plate [(9)] and a bearing shaft [(24)] of said receiving means [(7)] is rotatably supported in said rotational sleeve [(21)].

Attachment to Preliminary Amendment dated January 18, 2002

Marked-up Claims 1-19

18. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said shell [(12)] of said receiving means and said intermediate bottom [(5)] are rotatable according to signals of said identifying means [(19, 20)].

19. (Amended) The return device according to [at least one of the preceding claims] claim 1, [characterized in that] wherein said intermediate bottom [(5)] is sector-like.